



Hummel Croton Inc.
10 Harmich Road
South Plainfield, NJ 07080

Tel:908-754-1800 / Fax 908-754-1815

MSDS



Cryolite

In case of Emergency Call Chemtrec ®
(U.S.) (800)-424-9300
(International) (703)-527-3887

Section I. Chemical Product and Company Identification

Supplier:

Hummel Croton Inc.
10 Harmich Road
South Plainfield, NJ 07080
(908)-754-1800

HMIS Rating

Health	3
Flammability	0
Reactivity	0

Personal Protection E

Chemical Name: Synthetic Cryolite

Synonym: Cryolite, Sodium Aluminum Fluoride, Sodium fluoaluminate

CAS Number: 15096-52-3

Chemical Formula: Na₃(AlF₆)

Section II. Composition and Information on Ingredients

Material	CAS#	%	OSHA	ACGIH
Sodium Aluminum Fluoride	15096-52-3	100%	2.5 mg/m ³	2.5 mg/m ³

Section III Hazards Identification:

Acute Health Effects: Poison by ingestion. Large doses of overexposure cause severe nausea, vomiting, diarrhea, abdominal burning and cramp-like pains. Contact with skin and eyes may cause irritation. Inhalation can cause irritation to mucous membranes and respiratory tracts.

Chronic Health Effects: Overexposure may cause fluorosis, which is a condition affecting the bones and teeth.

Carcinogenicity: This product is not listed by NTP, IARC or regulated as a Carcinogen by OSHA.

Section IV. First Aid Measures

First Aid For Eye: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

First Aid For Skin: In case of contact, flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

First Aid For Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

First Aid For Ingestion: If swallowed, call a physician immediately.

Section V. Fire and Explosion Data

Flammability: Non-Flamable

Flash Points: Not Applicable

Auto-Ignition: Not Applicable

Flammable Limits: Not Applicable

Extinguishing Media:

Carbon Dioxide, dry chemical powder, or appropriate form.

Fire Fighting Procedure: If excessive smoke or fumes are encountered, wear self contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Fire/Explosion Hazards: Emits toxic fumes carbon monoxide, carbon dioxide and hydrogen fluoride under fire conditions.

Section VI. Accidental Release Measures

Spill Or Leak Procedures: Utilize recommended protective clothing and equipment. Clean spills in a manner that does not disperse dust into the air. Spill area can be washed with water. Collect wash water for approved disposal. Keep from entering water or ground water

Section VII. Handling and Storage

Storage Temperatures: Store at ambient temperature

Shelf Life: Unlimited in tightly closed container.

Special Sensitivity: None

Handling/Storage Precautions: Avoid breathing dust. Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place away from direct sunlight, heat and incompatible materials (see Section X). Reseal containers immediately after use. Store away from food and beverages.

Section VIII. Exposure Controls/Personal Protection

Eye Protection: Safety glasses or goggles.

Skin Protection: PVC gloves with impervious boots, apron or coveralls. Employees should wash their hands and face before eating, drinking or using tobacco products.

Respirator: Work ambient concentrations should be monitored and if the recommended exposure limit is exceeded, a NIOSH/MSHA approved dust respirator must be worn.

Ventilation: Use local ventilation if dusting is a problem, to maintain air levels below the recommended exposure limit.

Additional Protective Measures: Emergency showers and eye wash stations should be available. Educate and train employees in the safe use and handling of hazardous chemicals.

Section IX. Physical and Chemical Properties

Physical Form: Powder

Color: White

Odor: Odorless

Molecular Weight: 209.94

Boiling Point: N/A

Melting/Freezing Point: 1000°C

Solubility In Water: Insoluble

Specific Gravity: 2.95

Section X. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will Not occur

Incompatibilities: Acids and Water, strong oxidizers

Instable Conditions: Excessive temperatures (see Incompatibilities).

Decomposition Temperature: N/A

Decomposition products: Carbon monoxide, carbon dioxide, and hydrogen fluoride.

Section XI. Toxicological Information

RTECS Number: WA962500

Routes of Exposure: Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data: LD50- rat- 200mg/Kg

Chronic Toxic Effects: Overexposure may cause fluorosis, which is a condition affecting the bones and teeth.

Acute Toxic Effects: Poison by ingestion. Large doses of overexposure cause severe nausea, vomiting, diarrhea, abdominal burning and cramp-like pains. Contact with skin and eyes may cause irritation. Inhalation can cause irritation to mucous membranes and respiratory tracts.

Section XII. Ecological Information

Ecotoxicity: Not available at this time.

Section XIII. Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with existing federal, state and local environmental regulations.

Section XIV. Transportation Information

Proper Shipping Name: Cryolite

UN Number: N/A

Class: N/A

P.G.: N/A

Label Code: N/A

Section XV. Regulatory Information

OSHA Status: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Chemical Inventory: This compound is on the EPA Toxic Substance Control Act (TSCA) inventory List

California Proposition 65: To the best of our knowledge, this product contains no levels of listed substances, which the state of California has found to cause cancer, birth defects or other reproductive effects.

SARA 313 Title III:

Section 302 Extremely Hazardous Substances: None

Section 311/312 Hazardous Categories: None

Section 313 Toxic Chemicals: None

Section XVI. Other Information

Prepared By: Mark Dugan

Date: January 05, 2009

Reason For Issue: Updated Format

No warranty, expressed or implied, or merchantability, fitness for a particular purpose or otherwise is made, except that the products herein discussed comply with the chemical description on the labels. Buyer assumes risks of the use, storage and handling. Hummel shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any terms of this notice.